

# SAFETY DATA SHEET

# Easi Clean Protect

According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) No 2015/830 of 28 May 2015.

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		
Product name	Easi Clean Protect	
Product number	ECP010, ECP025, ECP050, ECP100	
Container size	250ml, 500ml, 1L	
1.2. Relevant identified uses	of the substance or mixture and uses advised against	
Identified uses	Glass cleaner.	
Uses advised against	No specific uses advised against are identified.	
1.3. Details of the supplier of	the safety data sheet	
Supplier	C. R. Laurence of Europe Charles Babbage Avenue Kingsway Business Park Rochdale OL16 4NW +44 (0) 1706 863600 +44 (0) 1706 869860 crl@crlaurence.co.uk	
1.4. Emergency telephone nu	mber	
Emergency telephone	00 800 0421 6144 Monday - Friday 08:00 - 17:00	
Emergency telephone SECTION 2: Hazards identified	· ·	
	cation	
SECTION 2: Hazards identified 2.1. Classification of the subs Classification (EC 1272/2008)	cation tance or mixture	
SECTION 2: Hazards identified 2.1. Classification of the subs Classification (EC 1272/2008) Physical hazards	cation tance or mixture	
SECTION 2: Hazards identified 2.1. Classification of the subs Classification (EC 1272/2008)	cation tance or mixture	
SECTION 2: Hazards identified 2.1. Classification of the subs Classification (EC 1272/2008) Physical hazards	tance or mixture Flam. Liq. 2 - H225	
SECTION 2: Hazards identified 2.1. Classification of the subs Classification (EC 1272/2008) Physical hazards Health hazards	tance or mixture Flam. Liq. 2 - H225 Eye Irrit. 2 - H319	
SECTION 2: Hazards identified 2.1. Classification of the subs Classification (EC 1272/2008) Physical hazards Health hazards Environmental hazards	tance or mixture Flam. Liq. 2 - H225 Eye Irrit. 2 - H319	
SECTION 2: Hazards identified 2.1. Classification of the subs Classification (EC 1272/2008) Physical hazards Health hazards Environmental hazards 2.2. Label elements	tance or mixture Flam. Liq. 2 - H225 Eye Irrit. 2 - H319	
SECTION 2: Hazards identified 2.1. Classification of the subs Classification (EC 1272/2008) Physical hazards Health hazards Environmental hazards 2.2. Label elements	tance or mixture Flam. Liq. 2 - H225 Eye Irrit. 2 - H319	

Precautionary statements	<ul> <li>P102 Keep out of reach of children.</li> <li>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>P280 Wear eye protection.</li> <li>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P337+P313 If eye irritation persists: Get medical advice/ attention.</li> <li>P501 Dispose of contents/ container in accordance with national regulations.</li> </ul>
Supplementary precautionary statements	<ul> <li>P264 Wash contaminated skin thoroughly after handling.</li> <li>P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.</li> <li>Rinse skin with water or shower.</li> <li>P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.</li> <li>P403+P235 Store in a well-ventilated place. Keep cool.</li> </ul>

## 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

### SECTION 3: Composition/information on ingredients

3.2. Mixtures		
Ethanol		50 - 100%
CAS number: 64-17-5	EC number: 200-578-6	REACH registration number: 01- 2119457610-43-XXXX
Classification		
Flam. Liq. 2 - H225		
Eye Irrit. 2 - H319		
Butanone		1 - <2.5%
CAS number: 78-93-3	EC number: 201-159-0	
Classification		
Flam. Liq. 2 - H225		
Eye Irrit. 2 - H319		
STOT SE 3 - H336		

The full text for all hazard statements is displayed in Section 16.

# SECTION 4: First aid measures

## 4.1. Description of first aid measures

General information Get medical attention immediately. Show this Safety Data Sheet to the medical personnel.

InhalationRemove affected person from source of contamination. Move affected person to fresh air and<br/>keep warm and at rest in a position comfortable for breathing. Maintain an open airway.<br/>Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained<br/>personnel may assist affected person by administering oxygen. Place unconscious person on<br/>their side in the recovery position and ensure breathing can take place.

Ingestion	Rinse mouth thoroughly with water. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Give a few small glasses of water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. Place unconscious person on their side in the recovery position and ensure breathing can take place.
Skin contact	Rinse immediately with plenty of water. Get medical attention if any discomfort continues.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 10 minutes.
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.
4.2. Most important symptoms	and effects, both acute and delayed
General information	See Section 11 for additional information on health hazards. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	Coughing, chest tightness, feeling of chest pressure.
Ingestion	Confusion, agitation and/or excitation. Symptoms following overexposure may include the following: May cause nausea, headache, dizziness and intoxication. Unconsciousness.
Skin contact	A single exposure may cause the following adverse effects: Temporary irritation. Prolonged contact may cause dryness of the skin.
Eye contact	Irritating to eyes.
4.3. Indication of any immedia	te medical attention and special treatment needed
Notes for the doctor	Treat symptomatically.
Notes for the doctor SECTION 5: Firefighting measurements	
SECTION 5: Firefighting meas	
SECTION 5: Firefighting meas	Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-
SECTION 5: Firefighting meas 5.1. Extinguishing media Suitable extinguishing media Unsuitable extinguishing	Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire- extinguishing media suitable for the surrounding fire. Do not use water jet as an extinguisher, as this will spread the fire.
SECTION 5: Firefighting meas 5.1. Extinguishing media Suitable extinguishing media Unsuitable extinguishing media	Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire- extinguishing media suitable for the surrounding fire. Do not use water jet as an extinguisher, as this will spread the fire.
SECTION 5: Firefighting meas 5.1. Extinguishing media Suitable extinguishing media Unsuitable extinguishing media 5.2. Special hazards arising free	Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire- extinguishing media suitable for the surrounding fire. Do not use water jet as an extinguisher, as this will spread the fire. <b>Om the substance or mixture</b> Containers can burst violently or explode when heated, due to excessive pressure build-up. Flammable liquid and vapour. Vapours may be ignited by a spark, a hot surface or an ember. Vapours may form explosive mixtures with air. Fire-water run-off in sewers may create fire or
SECTION 5: Firefighting meas 5.1. Extinguishing media Suitable extinguishing media Unsuitable extinguishing media 5.2. Special hazards arising from Specific hazards	Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire- extinguishing media suitable for the surrounding fire. Do not use water jet as an extinguisher, as this will spread the fire. <b>Om the substance or mixture</b> Containers can burst violently or explode when heated, due to excessive pressure build-up. Flammable liquid and vapour. Vapours may be ignited by a spark, a hot surface or an ember. Vapours may form explosive mixtures with air. Fire-water run-off in sewers may create fire or explosion hazard.

Special protective equipmentWear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective<br/>clothing. Firefighter's clothing conforming to European standard EN469 (including helmets,<br/>protective boots and gloves) will provide a basic level of protection for chemical incidents.

#### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Keep unnecessary and unprotected personnel away from the spillage. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation. Wear protective clothing as described in Section 8 of this safety data sheet. Promptly remove any clothing that becomes contaminated. Follow precautions for safe handling described in this safety data sheet. Wash thoroughly after dealing with a spillage.

#### 6.2. Environmental precautions

**Environmental precautions** Avoid discharge into drains or watercourses or onto the ground.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Eliminate all ignition sources if safe to do so. No smoking, sparks, flames or other sources of ignition near spillage. Do not allow material to enter confined spaces, due to the risk of explosion. Absorb small quantities with paper towels and evaporate in a safe place. Once evaporation is complete, place paper in a suitable waste disposal container and seal securely. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. For waste disposal, see Section 13.

#### 6.4. Reference to other sections

**Reference to other sections** For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

#### SECTION 7: Handling and storage

7.1. Precautions for safe h	nandling
Usage precautions	Keep out of the reach of children. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use explosion-proof electrical, ventilating and lighting equipment. Take precautionary measures against static discharges. Keep away from food, drink and animal feeding stuffs. Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Do not handle until all safety precautions have been read and understood. Handle all packages and containers carefully to minimise spills. Keep container tightly sealed when not in use.
Advice on general occupational hygiene	Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. Change work clothing daily before leaving workplace.
7.2. Conditions for safe st	orage, including any incompatibilities
Storage precautions	Eliminate all sources of ignition. Take precautionary measures against static discharges. Earth container and transfer equipment to eliminate sparks from static electricity. Keep away from food, drink and animal feeding stuffs. Keep away from oxidising materials, heat and flames. Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep containers upright.
Storage class	Elammable liquid storage

7.3. Specific end use(s)

### Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

### SECTION 8: Exposure Controls/personal protection

### 8.1. Control parameters

## Occupational exposure limits

#### Ethanol

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1920 mg/m<sup>3</sup>

#### Butanone

Long-term exposure limit (8-hour TWA): WEL 200 ppm 600 mg/m<sup>3</sup> Short-term exposure limit (15-minute): WEL 300 ppm 899 mg/m<sup>3</sup>

Sk WEL = Workplace Exposure Limit Sk = Can be absorbed through the skin.

#### 8.2. Exposure controls

### Protective equipment





Appropriate engineering controls	Provide adequate ventilation. Observe any occupational exposure limits for the product or ingredients.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with European Standard EN166. Wear tight-fitting, chemical splash goggles or face shield. If inhalation hazards exist, a full-face respirator may be required instead.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with European Standard EN374. Wear protective gloves made of the following material: Butyl rubber. Nitrile rubber. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.
Other skin and body protection	Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible.
Hygiene measures	Provide eyewash station and safety shower. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Clean equipment and the work area every day. Good personal hygiene procedures should be implemented. Wash at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke.
Respiratory protection	Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked.
Environmental exposure controls	Keep container tightly sealed when not in use.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Colourless.
Odour	Alcoholic.
Odour threshold	80 ppm
рН	Not available.
Melting point	< -20°C
Initial boiling point and range	78°C @ 758 mm Hg
Flash point	< 21°C
Evaporation rate	Not available.
Upper/lower flammability or explosive limits	Lower flammable/explosive limit: > 3.5% Upper flammable/explosive limit: 15%
Vapour pressure	57 hPa @ 20°C
Vapour density	Not available.
Relative density	~ 0.8 @ 20°C
Solubility(ies)	Soluble in water.
Partition coefficient	Not available.
Auto-ignition temperature	>425°C
Decomposition Temperature	Not available.
Viscosity	1 - 10 mPa s @ 20°C
Explosive properties	Not considered to be explosive.
Oxidising properties	Does not meet the criteria for classification as oxidising.
9.2. Other information	
Other information	None.
SECTION 10: Stability and rea	activity
10.1. Reactivity	
Reactivity	There are no known reactivity hazards associated with this product.
10.2. Chemical stability	
Stability	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.
10.3. Possibility of hazardous	reactions
Possibility of hazardous reactions	The following materials may react strongly with the product: Oxidising agents.
10.4. Conditions to avoid	
Conditions to avoid	Avoid heat, flames and other sources of ignition. Containers can burst violently or explode when heated, due to excessive pressure build-up. Static electricity and formation of sparks must be prevented. Do not pressurise, cut, weld, drill, grind or otherwise expose containers to heat or sources of ignition.
10.5. Incompatible materials	

Materials to avoid	Oxidising materials. Acids - oxidising.	
10.6. Hazardous decomposition products		
Hazardous decomposition products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.	
SECTION 11: Toxicological inf	formation	
11.1. Information on toxicologi	cal effects	
Acute toxicity - oral		
Notes (oral LD₅o)	Based on available data the classification criteria are not met.	
Acute toxicity - dermal Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.	
Acute toxicity - inhalation		
Notes (inhalation LC₅₀)	Based on available data the classification criteria are not met.	
Skin corrosion/irritation		
Animal data	Based on available data the classification criteria are not met.	
Serious eye damage/irritation		
Serious eye damage/irritation	Causes serious eye irritation.	
Respiratory sensitisation		
Respiratory sensitisation	Based on available data the classification criteria are not met.	
Skin sensitisation		
Skin sensitisation	Based on available data the classification criteria are not met.	
Germ cell mutagenicity		
Genotoxicity - in vitro	Based on available data the classification criteria are not met.	
Carcinogenicity		
Carcinogenicity	Based on available data the classification criteria are not met.	
IARC carcinogenicity	Contains a substance/a group of substances which may cause cancer. IARC Group 1 Carcinogenic to humans.	
Reproductive toxicity		
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.	
Reproductive toxicity - development	Based on available data the classification criteria are not met.	
Specific target organ toxicity -	single exposure	
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.	
Specific target organ toxicity -	repeated exposure	
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.	
Aspiration hazard		
Aspiration hazard	Based on available data the classification criteria are not met.	
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.	
Inhalation	Coughing, chest tightness, feeling of chest pressure.	

Ingestion	May cause nausea, headache, dizziness and intoxication. Confusion, agitation and/or excitation. Symptoms following overexposure may include the following: Unconsciousness.
Skin contact	Temporary irritation. Prolonged contact may cause dryness of the skin.
Eye contact	Irritating to eyes.
Route of exposure	Ingestion Inhalation Skin and/or eye contact
Target organs	No specific target organs known.

Toxicological information on ingredients.

# Ethanol

Acute toxicity - oral	
Notes (oral LD <sub>50</sub> )	Based on available data the classification criteria are not met.
Acute toxicity - dermal	
Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.
Acute toxicity - inhalation	
Notes (inhalation LC₅₀)	Based on available data the classification criteria are not met.
Skin corrosion/irritation	
Animal data	Based on available data the classification criteria are not met.
Serious eye damage/irritat	ion
Serious eye damage/irritation	Slightly irritating.
Respiratory sensitisation	
Respiratory sensitisation	Based on available data the classification criteria are not met.
Skin sensitisation	
Skin sensitisation	Based on available data the classification criteria are not met.
Germ cell mutagenicity	
Genotoxicity - in vitro	Gene mutation: Negative. Based on available data the classification criteria are not met.
Genotoxicity - in vivo	Chromosome aberration: Negative. Based on available data the classification criteria are not met.
Carcinogenicity	
Carcinogenicity	NOAEL >3000 mg/kg/day, Oral, Rabbit Based on available data the classification criteria are not met.
IARC carcinogenicity	IARC Group 1 Carcinogenic to humans.
Reproductive toxicity	
Reproductive toxicity - fertility	Two-generation study - NOAEL 15 %, Oral, Mouse P Based on available data the classification criteria are not met.
Reproductive toxicity - development	Teratogenicity: - NOAEL: >20000 ppm, Inhalation, Rat Based on available data the classification criteria are not met.
Specific target organ toxici	ty - single exposure
	Not classified as a specific target organ toxicant after a single exposure

STOT - single exposure

**e** Not classified as a specific target organ toxicant after a single exposure.

-guil toxion	ty - repeated exposure
t exposure	Not classified as a specific target organ toxicant after repeated exposure.
<u>d</u>	
ď	Not anticipated to present an aspiration hazard, based on chemical structure.
rmation	
-	arded as dangerous for the environment. However, large or frequent spills may have us effects on the environment.
Based o	n available data the classification criteria are not met.
redients.	
	Ethanol
	Based on available data the classification criteria are not met.
xicity	
ish	LC₅₀, 48 hours: >100 mg/l, Leuciscus idus (Golden orfe)
aquatic	EC₅₀, 48 hours: 12.34 mg/l, Daphnia magna
aquatic	EC₅₀, 48 hours: >100 mg/l, Selenastrum capricornutum
lability	
The deg	radability of the product is not known.
redients.	
	Ethanol
	The substance is readily biodegradable.
ation	The product is degraded completely by photochemical oxidation.
	- DT₅₀ : <10 days
ial	- DT₅₀ : <10 days
	- DT₅₀ : <10 days available on bioaccumulation.
	available on bioaccumulation.
 No data	available on bioaccumulation.
No data Not avai	available on bioaccumulation.
No data Not avai redients.	available on bioaccumulation. lable.
No data Not avai redients.	available on bioaccumulation. lable. <u>Ethanol</u>
No data Not avail redients.	available on bioaccumulation. lable. <u>Ethanol</u>
No data Not avail redients.	available on bioaccumulation. lable. <u>Ethanol</u> The product is not bioaccumulating.
	d exposure

Mobility	Volatile liquid. Soluble in water.		
12.5. Results of PBT and vPvE			
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.		
Ecological information on ingre	odients.		
	Ethanol		
Results of PBT an assessment	<b>nd vPvB</b> This substance is not classified as PBT or vPvB according to current EU criteria.		
12.6. Other adverse effects			
Other adverse effects	None known.		
SECTION 13: Disposal conside	erations		
13.1. Waste treatment method	S		
General information	Reuse or recycle products wherever possible. Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. When handling waste, the safety precautions applying to handling of the product should be considered.		
Disposal methods	Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents. Incineration or landfill should only be considered when recycling is not feasible. Vapour from residual product may create a highly flammable or explosive atmosphere inside the container.		
SECTION 14: Transport inform	nation		
14.1. UN number			
UN No. (ADR/RID)	1993		
UN No. (IMDG)	1993		
UN No. (ICAO)	1993		
UN No. (ADN)	1993		
14.2. UN proper shipping name	9		
Proper shipping name (ADR/RID)	FLAMMABLE LIQUID, N.O.S. (CONTAINS Ethanol, Butanone)		
Proper shipping name (IMDG)	FLAMMABLE LIQUID, N.O.S. (CONTAINS Ethanol, Butanone)		
Proper shipping name (ICAO)	FLAMMABLE LIQUID, N.O.S. (CONTAINS Ethanol, Butanone)		
Proper shipping name (ADN)	FLAMMABLE LIQUID, N.O.S. (CONTAINS Ethanol, Butanone)		
14.3. Transport hazard class(e	s <u>)</u>		
ADR/RID class	3		
ADR/RID classification code	F1		
ADR/RID label	3		
IMDG class	3		
ICAO class/division	3		

ADN class	3	
Transport labels		
14.4. Packing group		
ADR/RID packing group	II	
IMDG packing group	II	
ICAO packing group	II	
ADN packing group	II	
14.5. Environmental hazards		
Environmentally hazardous su No.	bstance/marine pollutant	
14.6. Special precautions for user		
EmS	F-E, S-E	
ADR transport category	2	
Emergency Action Code	•3YE	
Hazard Identification Number (ADR/RID)	33	
Tunnel restriction code	(D/E)	
14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code		
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.	

# SECTION 15: Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	Health and Safety at Work etc. Act 1974 (as amended). The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"]. EH40/2005 Workplace exposure limits.
EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Commission Regulation (EU) No 2015/830 of 28 May 2015. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

# 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

### Inventories

## US - TSCA

All the ingredients are listed or exempt.

## US - TSCA 12(b) Export Notification

None of the ingredients are listed or exempt.

### SECTION 16: Other information

Classification abbreviations and acronyms	Flam. Liq. = Flammable liquid Eye Irrit. = Eye irritation
Classification procedures according to Regulation (EC) 1272/2008	Eye Irrit. 2 - H319: : Calculation method. Flam. Liq. 2 - H225: : Expert judgement.
Training advice	Read and follow manufacturer's recommendations.
Revision date	12/03/2018
Revision	3
Supersedes date	28/09/2015
SDS number	7127
Hazard statements in full	H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.